Speak, Memory: An Archaeology of Books Known to ChatGPT/GPT-4

Kent K. Chang, Mackenzie Cramer, Sandeep Soni and David Bamman*

University of California, Berkeley

{kentkchang,mackenzie.hanh,sandeepsoni,dbamman}@berkeley.edu

Abstract

In this work, we carry out a data archaeology to infer books that are known to ChatGPT and GPT-4 using a name cloze membership inference query. We find that OpenAI models have memorized a wide collection of copyrighted materials, and that the degree of memorization is tied to the frequency with which passages of those books appear on the web. The ability of these models to memorize an unknown set of books complicates assessments of measurement validity for cultural analytics by contaminating test data; we show that models perform much better on memorized books than on nonmemorized books for downstream tasks. We argue that this supports a case for open models whose training data is known.

1 Introduction

Research in cultural analytics at the intersection of NLP and narrative is often focused on developing algorithmic devices to measure some phenomenon of interest in literary texts (Piper et al., 2021; Yoder et al., 2021; Coll Ardanuy et al., 2020; Evans and Wilkens, 2018). The rise of large-pretrained language models such as ChatGPT and GPT-4 has the potential to radically transform this space by both reducing the need for large-scale training data for new tasks and lowering the technical barrier to entry (Underwood, 2023).

At the same time, however, these models also present a challenge for establishing the validity of results, since few details are known about the data used to train them. As others have shown, the accuracy of such models is strongly dependent on the frequency with which a model has seen information in the training data, calling into question their ability to generalize (Razeghi et al., 2022; Kandpal et al., 2022a; Elazar et al., 2022); in addition, this phenomenon is exacerbated for larger models (Carlini et al., 2022; Biderman et al., 2023). Knowing Wow. I sit down, fish the questions from my backpack, and go through them, inwardly cursing [MASK] for not providing me with a brief biography. I know nothing about this man I'm about to interview. He could be ninety or he could be thirty. \rightarrow **Kate** (James, *Fifty Shades of Grey*).

Some days later, when the land had been moistened by two or three heavy rains, [MASK] and his family went to the farm with baskets of seedyams, their hoes and machetes, and the planting began. \rightarrow **Okonkwo** (Achebe, *Things Fall Apart*).

Figure 1: Name cloze examples. GPT-4 answers both of these correctly.

what books a model has been trained on is critical to assess such sources of bias (Gebru et al., 2021), which can impact the validity of results in cultural analytics: if evaluation datasets contain memorized books, they provide a false measure of future performance on non-memorized books; without knowing what books a model has been trained on, we are unable to construct evaluation benchmarks that can be sure to exclude them.

In this work, we carry out a *data archaeology* to infer books that are known to several of these large language models. This archaeology is a membership inference query (Shokri et al., 2017) in which we probe the degree of exact memorization (Tirumala et al., 2022) for a sample of passages from 571 works of fiction published between 1749–2020. This difficult name cloze task, illustrated in figure 1, has 0% human baseline performance.

This archaeology allows us to uncover a number of findings about the books known to OpenAI models which can impact downstream work in cultural analytics:

1. OpenAI models, and GPT-4 in particular, have

^{*}Details of author contributions listed in the appendix.

memorized a wide collection of in-copyright books.

- There are systematic biases in what books it has seen and memorized, strongly preferring science fiction/fantasy novels and bestsellers.
- 3. This bias aligns with that present in the general web, as reflected in search results from Google, Bing and C4. This confirms prior findings that duplication encourages memorization (Carlini et al., 2023) but also provides a rough diagnostic for assessing knowledge about a book.
- 4. Disparity in memorization leads to disparity in downstream tasks. GPT models perform better on memorized books than non-memorized books at predicting the year of first publication for a work and the duration of narrative time for a passage, and are more likely to generate character names from books it has seen.

While our work is focused on ChatGPT and GPT-4, we also uncover surprising findings about BERT as well: BookCorpus (Zhu et al., 2015), one of BERT's training sources, contains in-copyright materials by published authors, including E.L. James' *Fifty Shades of Grey*, Diana Gabaldon's *Outlander* and Dan Brown's *The Lost Symbol*, and BERT has memorized this material as well.

As researchers in cultural analytics are poised to use ChatGPT and GPT-4 for the empirical analysis of literature, our work both sheds light on the underlying knowledge in these models while also illustrating the threats to validity in using them.

2 Related Work

Knowledge production and critical digital humanifies. The archaeology of data that this work presents can be situated in the tradition of tool critiques in critical digital humanities (Berry, 2011; Fitzpatrick, 2012; Hayles, 2012; Ramsay and Rockwell, 2012; Ruth et al., 2022), where we critically approach the closedness and opacity of LLMs, which can pose significant issues if they are used to reason about literature (Elkins and Chun, 2020; Goodlad and Dimock, 2021; Henrickson and Meroño-Peñuela, 2022; Schmidgen et al., 2023; Elam, 2023). In this light, our archaeology of books shares the Foucauldian impulse to "find a common structure that underlies both the scientific knowledge and the institutional practices of an age" (Gutting, 1989, p. 79; Schmidgen et al., 2023). LLMs figure in our knowledge production in significant ways, from the training of those models to the inference tasks that involve them. Investigating data membership helps us reflect on how to best use LLMs for large scale historical and cultural analysis and evaluate the validity of its findings.

LLMs for cultural analysis. While they are more often the object of critique, LLMs are gaining prominence in large-scale cultural analysis as part of the methodology. Some focus on what GPTs can and cannot do: Henrickson and Meroño-Peñuela (2022) fine-tuned GPT-2 on scholarly texts related to literary hermeneutics. Elkins and Chun (2020) tests the capabilities of GPT-2 and 3 in the context of a college-level writing class. Some use GPTs to tackle problems related to interpretation, that of real events (Hamilton and Piper, 2022), or of character roles (hero, villain, and victim, Stammbach et al., 2022). Others leverage LLMs on classic NLP tasks that can be used to shed light on literary and cultural phenomenon, or otherwise maintain an interest in those humanistic domains (Ziems et al., 2023). This work shows what tasks and what types of questions LLMs are more suitable to answer than others through our archaeology of data.

Documenting training data. Training on large text corpora such as BookCorpus (Zhu et al., 2015), C4 (Raffel et al., 2020) and the Pile (Gao et al., 2020) has been instrumental in extending the capability of large language models. Yet, in contrast to smaller datasets, these large corpora are less carefully curated. Besides a few attempts at documenting large datasets (e.g., C4; Dodge et al., 2021) or laying out diagnostic techniques for their quality (Swayamdipta et al., 2020), these corpora and their use in large models is less understood. Our focus on books in this work is an attempt to empirically map the information about books that is present in these models.

Memorization. Large language models have shown impressive zero-shot or few-shot ability but they also suffer from memorization (Elangovan et al., 2021; Lewis et al., 2021). While memorization is shown in some cases to improve generalization (Khandelwal et al., 2020), it has generally been shown to have negative consequences, including security and privacy risks (Carlini et al., 2021, 2023; Huang et al., 2022). Studies have quantified the level of memorization in large language models (e.g., Carlini et al., 2022; Mireshghallah et al., You have seen the following passage in your training data. What is the proper name that fills in the [MASK] token in it? This name is exactly one word long, and is a proper name (not a pronoun or any other word). You must make a guess, even if you are uncertain.

Example:

Input: Stay gold, [MASK], stay gold. Output: <name>Ponyboy</name>

Input: The door opened, and [MASK], dressed and hatted, entered with a cup of tea. Output: <name>Gerty</name>

Input: My back's to the window. I expect a stranger, but it's [MASK] who pushes open the door, flicks on the light. I can't place that, unless he's one of them. There was always that possibility. Output:

Figure 2: Sample name cloze prompt.

2022) and have highlighted the role of both *verbatim* (e.g., Lee et al., 2022; Ippolito et al., 2022) and subtler forms of memorization (Zhang et al., 2021). Our analysis and experimental findings add to this scholarship but differs significantly in one key respect: our focus is on ChatGPT and GPT-4 —black box models whose training data or protocols are not fully specified.

Data contamination. A related issue noted upon critical scrutiny of uncurated large corpora is data contamination (e.g., Magar and Schwartz, 2022) raising questions about the zero-shot capability of these models (e.g., Blevins and Zettlemoyer, 2022) and worries about security and privacy (Carlini et al., 2021, 2023). For example, Dodge et al. (2021) find that text from NLP evaluation datasets is present in C4, attributing performance gain partly to the train-test leakage. Lee et al. (2022) show that C4 contains repeated long running sentences and near duplicates whose removal mitigates data contamination; similarly, deduplication has also been shown to alleviate the privacy risks in models trained on large corpora (Kandpal et al., 2022b).

3 Task

We formulate our task as a cloze: given some context, predict a single token that fills in a mask. To account for different texts being more predictable than others, we focus on a hard setting of predicting the identity of a single *name* in a passage of 40-60 tokens that contains no other named entities. Figure 1 illustrates two such examples.

In the following, we refer to this task as a **name cloze**, a version of *exact memorization* (Tirumala et al., 2022). Unlike other cloze tasks that focus on entity prediction for question answering/reading

comprehension (Hill et al., 2015; Onishi et al., 2016), no names at all appear in the context to inform the cloze fill. In the absence of information about each particular book, this name should be nearly impossible to predict from the context alone; it requires knowledge not of English, but rather about the work in question. Predicting the most frequent name in the dataset ("Mary") yields an accuracy of 0.6%, and human performance (on a sample of 100 random passages) is 0%.

We construct this evaluation set by running BookNLP¹ over the dataset described below in §4, extracting all passages between 40 and 60 tokens with a single proper person entity and no other named entities. Each passage contains complete sentences, and does not cross sentence boundaries. We randomly sample 100 such passages per book, and exclude any books from our analyses with fewer than 100 such passages.

We pass each passage through the prompt listed in figure 2, which is designed to elicit a single word, proper name response wrapped in XML tags; two short input/output examples are provided to illustrate the expected structure of the response.

4 Data

We evaluate 5 sources of English-language fiction:

- 91 novels from LitBank, published before 1923.
- 90 Pulitzer prize nominees from 1924–2020.
- 95 Bestsellers from the *NY Times* and *Publishers Weekly* from 1924–2020.
- 101 novels written by Black authors, either from the Black Book Interactive Project² or Black Cau-

¹https://github.com/booknlp/booknlp

²http://bbip.ku.edu/novel-collections

GPT-4	ChatGPT	BERT	Date	Author	Title
0.98	0.82	0.00	1865	Lewis Carroll	Alice's Adventures in Wonderland
0.76	0.43	0.00	1997	J.K. Rowling	Harry Potter and the Sorcerer's Stone
0.74	0.29	0.00	1850	Nathaniel Hawthorne	The Scarlet Letter
0.72	0.11	0.00	1892	Arthur Conan Doyle	The Adventures of Sherlock Holmes
0.70	0.10	0.00	1815	Jane Austen	Emma
0.65	0.19	0.00	1823	Mary W. Shelley	Frankenstein
0.62	0.13	0.00	1813	Jane Austen	Pride and Prejudice
0.61	0.35	0.00	1884	Mark Twain	Adventures of Huckleberry Finn
0.61	0.30	0.00	1853	Herman Melville	Bartleby, the Scrivener
0.61	0.08	0.00	1897	Bram Stoker	Dracula
0.61	0.18	0.00	1838	Charles Dickens	Oliver Twist
0.59	0.13	0.00	1902	Arthur Conan Doyle	The Hound of the Baskervilles
0.59	0.22	0.00	1851	Herman Melville	Moby Dick; Or, The Whale
0.58	0.35	0.00	1876	Mark Twain	The Adventures of Tom Sawyer
0.57	0.30	0.00	1949	George Orwell	1984
0.54	0.10	0.00	1908	L. M. Montgomery	Anne of Green Gables
0.51	0.20	0.01	1954	J.R.R. Tolkien	The Fellowship of the Ring
0.49	0.16	0.13	2012	E.L. James	Fifty Shades of Grey
0.49	0.24	0.01	1911	Frances H. Burnett	The Secret Garden
0.49	0.12	0.00	1883	Robert L. Stevenson	Treasure Island
0.49	0.16	0.00	1847	Charlotte Brontë	Jane Eyre: An Autobiography
0.49	0.22	0.00	1903	Jack London	The Call of the Wild

Table 1: Top 20 books by GPT-4 name cloze accuracy.

cus American Library Association award winners from 1928–2018.

- 95 works of Global Anglophone fiction (outside the U.S. and U.K.) from 1935–2020.
- 99 works of genre fiction, containing science fiction/fantasy, horror, mystery/crime, romance and action/spy novels from 1928–2017.

Pre-1923 LitBank texts are born digital on Project Gutenberg and are in the public domain in the United States; all other sources were created by purchasing physical books, scanning them and OCR'ing them with Abbyy FineReader. As of the time of writing, books published after 1928 are generally in copyright in the U.S.

5 Results

5.1 ChatGPT/GPT-4

We pass all passages with the same prompt through both ChatGPT and GPT-4, using the OpenAI API. The total cost of this experiment with current OpenAI pricing (\$0.002/thousand tokens for Chat-GPT; \$0.03/thousand tokens for GPT-4) is approximately \$400. We measure the name cloze accuracy for a book as the fraction of 100 samples from it where the model being tested predicts the masked name correctly.

Table 1 presents the top 20 books with the highest GPT-4 name cloze accuracy. While works in the public domain dominate this list, table 6 in the Appendix presents the same for books published after 1928.³ Of particular interest in this list is the dominance of science fiction and fantasy works, including *Harry Potter*, 1984, Lord of the Rings, *Hunger Games*, *Hitchhiker's Guide to the Galaxy*, *Fahrenheit 451*, *A Game of Thrones*, and *Dune*— 12 of the top 20 most memorized books in copyright fall in this category. Table 2 explores this in more detail by aggregating the performance by the top-level categories described above, including the specific genre for genre fiction.

GPT-4 and ChatGPT are widely knowledgeable about texts in the public domain (included in pre-1923 LitBank); it knows little about works of Global Anglophone texts, works in the Black Book Interactive Project and Black Caucus American Library Association award winners.

Source	GPT-4	ChatGPT
pre-1923 LitBank	0.244	0.072
Genre: SF/Fantasy	0.235	0.108
Genre: Horror	0.054	0.028
Bestsellers	0.033	0.016
Genre: Action/Spy	0.032	0.007
Genre: Mystery/Crime	0.029	0.014
Genre: Romance	0.029	0.011
Pulitzer	0.026	0.011
Global	0.020	0.009
BBIP/BCALA	0.017	0.011

Table 2: Name cloze performance by book category.

³For complete results on all books, see https://github. com/bamman-group/gpt4-books.

5.2 BERT

For comparison, we also generate predictions for the masked token using BERT (only passing the passage through the model and not the prefaced instructions) to provide a baseline for how often a model would guess the correct name when simply functioning as a language model (unconstrained to generate proper names). As table 1 illustrates, BERT's performance is near 0 for all books-except for Fifty Shades of Grey, for which it guesses the correct name 13% of the time, suggesting that this book was known to BERT during training. Devlin et al. (2019) notes that BERT was trained on Wikipedia and the BookCorpus, which Zhu et al. (2015) describe as "free books written by yet unpublished authors."⁴ Manual inspection of the BookCorpus hosted by huggingface⁵ confirms that Fifty Shades of Grey is present within it, along with several other published works, including Diana Gabaldon's Outlander and Dan Brown's The Lost Symbol.

6 Analysis

6.1 Error analysis

We analyze examples on which ChatGPT and GPT-4 make errors to assess the impact of memorization. Specifically, we test the following question: when a model makes a name cloze error, is it more likely to offer a name from a memorized book than a non-memorized one?

To test this, we construct sets of seen (S) and unseen (U) character names by the models. To do this, we divide all books into three categories: Mas books the model has memorized (top decile by GPT-4 name cloze accuracy), $\neg M$ as books the model has not memorized (bottom decile), and Has books held out to test the hypothesis. We identify the true masked names that are most associated with the books in M — by calculating the positive pointwise mutual information between a name and book pair — to obtain set S, and the masked names most associated with books in $\neg M$ to obtain set U. We also ensure that S and U are of the same size and have no overlap. Next, we calculate the observed statistic as the log-odds ratio on examples from H:

$$o = \log\left(\frac{Pr\left(\hat{c} \in S | error\right)}{Pr\left(\hat{c} \in U | error\right)}\right)$$

where \hat{c} is the predicted character. To test for statistical significance, we perform a randomization test (Dror et al., 2018), where the observed statistic o is compared to a distribution of the same statistic calculated by randomly shuffling the names between S and U.

We find that for both ChatGPT (o = 1.34, p < 0.0001) and GPT-4 (o = 1.37, p < 0.0001), the null hypothesis can be rejected, indicating that both models are more likely to predict a character name from a book they had memorized than a character from a book they have not. This has important consequences: these models do not simply perform better on a set of memorized books, but the information from those books bleeds out into other narrative contexts.

6.2 Extrinsic analysis

Why do the GPT models know about some books more than others? As others have shown, duplicated content in training is strongly correlated with memorization (Carlini et al., 2023). While the training data for ChatGPT and GPT-4 is unknown, it likely involves data scraped from the web, as with prior models' use of WebText and C4. To what degree is a model's performance for a book in our name cloze task correlated with the number of copies of that book on the open web? We assess this using four sources: Google and Bing search engine results, C4, and the Pile.

For each book in our dataset, we sample 10 passages at random from our evaluation set and select a 10-gram from it; we then query each platform to find the number of search results that match that exact string. We use the custom search API for Google,⁶ the Bing Web Search API⁷ and indexes to C4 and the Pile by AI2 (Dodge et al., 2021).⁸

Table 3 lists the results of this analysis, displaying the correlation (Spearman ρ) between GPT-4 name cloze accuracy for a book and the average number of search results for all query passages from it.

⁴*Fifty Shades of Grey* was originally self-published on fanfiction.net ca. 2009 before being published by Vintage Books in 2012.

^ohttps://huggingface.co/datasets/bookcorpus

⁶https://developers.google.com/custom-search/ v1/overview

⁷https://www.microsoft.com/en-us/bing/apis/ bing-web-search-api

⁸https://c4-search.apps.allenai.org

Date	Google	Bing	C4	Pile
pre-1928	0.74	0.70	0.71	0.84
post-1928	0.37	0.41	0.36	0.21

Table 3: Correlation (Spearman ρ) between GPT-4 name cloze accuracy and number of search results in Google, Bing, C4 and the Pile.

For works in the public domain (published before 1928), we see a strong and significant (p < p0.001) correlation between GPT-4 name cloze accuracy and the number of search results across all sources. Google, for instance, contains an average of 2,590 results for 10-grams from Alice in Wonderland, 1,100 results from Huckleberry Finn and 279 results from Anne of Green Gables. Works in copyright (published after 1928) show up frequently on the web as well. While the correlation is not as strong as public domain texts (in part reflecting the smaller number of copies), it is strongly significant as well (p < 0.001). Google again has an average of 3,074 search results across the ten 10-ngrams we query for Harry Potter and the Sorcerer's Stone,⁹ 92 results for The Hunger Games and 41 results for A Game of Thrones.

Domain	Hits
archive.org	337
academia.edu	257
goodreads.com	234
coursehero.com	197
quizlet.com	181
litcharts.com	148
fliphtml5.com	124
genius.com	118
amazon.com	109
issuu.com	98

Table 4: Sources for copyrighted material.

Table 4 lists the most popular sources for copyrighted material. Notably, this list does not only include sources where the full text is freely available for download as a single document, but also sources where smaller snippets of the texts appear in reviews (on Goodreads and Amazon) and in study resources (such as notes and quizzes on Course-Hero, Quizlet and LitCharts). Since our querying process samples ten random passages from a book (not filtered according to notability or popularity in any way), this suggests that there exists a significant portion of copyrighted literary works in the form of short quotes or excerpts on the open web. On Goodreads, for example, a book can have a dedicated page of quotes from it added by users of the website (in addition to quotes highlighted in their reviews; cf. Walsh and Antoniak, 2021); on LitCharts, the study guide of a book often includes a detailed chapter-by-chapter summary that includes quotations.

In addition, this also suggests that books that are reviewed and maintain an online presence or assigned as course readings are more likely to appear on the open web, despite copyright restrictions. In this light, observations from literary scholars and sociologies remain pertinent: Bourdieu's (1987) concerns, that literary taste reflects and reinforces social inequalities, could also be relevant in the context of LLMs. Guillory's (1993)'s critique on canon formation, which highlights the role of educational institutions, can still serve as a potent reminder of the impact of literary syllabi: since they have influence over what books should have flashcards and study guides created for them, they also indirectly sway which books might become more prominent on the open web, and likely in the training data for LLMs.

7 Effect on downstream tasks

The varying degrees to which ChatGPT and GPT-4 have seen books in their training data has the potential to bias the accuracy of downstream analyses. To test the degree to which this is true, we carry out two predictive experiments using GPT-4 in a few-shot scenario: predicting the year of first publication of a work from a 250-word passage, and predicting the amount of time that has passed within it.

7.1 Predicting year of first publication

Our first experiment predicts the year of first publication of a book from a random 250-word passage of text within it, a task widely used in the digital humanities when the date of *composition* for a work is unknown or contested (Jong et al., 2005; Kumar et al., 2011; Bamman et al., 2017; Karsdorp and Fonteyn, 2019).

For each of the books in our dataset, we sample a random 250-word passage (with complete sentences) and pass it through the prompt shown in figure 3 in the Appendix to solicit a four-digit date as a prediction for the year of first publication. We measure two quantities: whether GPT is able make

⁹cf. "seemed to know where he was going, he was obviously"; "He bent and pulled the ring of the trapdoor, which"; "I got a few extra books for background reading, and"

Model	missing, top 10%	missing, bot. 10%	ρ	MAE, top 10%	MAE, bot. 10%
ChatGPT	0.04	0.09	-0.39	3.3 [0.1–12.3]	29.8 [20.2-41.2]
GPT-4	0.00	0.00	-0.37	0.6 [0.1–1.5]	14.5 [9.5–20.8]

Table 5: Date of first publication performance, with 95% bootstrap confidence intervals around MAE. Spearman ρ across all data and all differences between top and bottom 10% within a model are significant (p < 0.05).

a valid year prediction at all (or refrains, noting the year is "uncertain"); if it make a valid prediction, we calculate the prediction error for each book as the absolute difference between the predicted year and the true year $(|\hat{y}-y|)$. In order to assess any disparities in performance as a function of a model's knowledge about a book, we focus on the differential between the books in the top 10% and bottom 10% by GPT-4 name cloze accuracy.

As table 5 shows, we see strong disparities in performance as result of a model's familiarity with a book. ChatGPT refrains from making a prediction in only 4% of books it knows well, but 9% in books it does not (GPT-4 makes a valid prediction in all cases). When ChatGPT makes a valid prediction, the mean absolute error is much greater for the books it has not memorized (29.8 years) than for books it has (3.3 years); and the same holds for GPT-4 as well (14.5 years for non-memorized books; 0.6 years for memorized ones). Over all books with predictions, increasing GPT name cloze accuracy is linked to decreasing error rates at year prediction (Spearman $\rho = -0.39$ for ChatGPT, -0.37 for GPT-4, p < 0.001).

Predicting the date of first publication is typically cast as a textual inference problem, estimating a date from linguistic features of the text alone (e.g., mentions of *airplanes* may date a book to after the turn of the 20th century; thou and thee offer evidence of composition before the 18th century, etc.). While it is reasonable to believe that memorized access to an entire book may lead to improved performance when predicting the date from a passage within it, another explanation is simply that GPT models are accessing encyclopedic knowledge about those works-i.e., identifying a passage as Pride and Prejudice and then accessing a learned fact about that work. For tasks that can be expressed as *facts about a text* (e.g., time of publication, genre, authorship), this presents a significant risk of contamination.

7.2 Predicting narrative time

Our second experiment predicts the amount of time that has passed in the same 250-word passage sampled above, using the conceptual framework of Underwood (2018), explored in the context of GPT-4 in Underwood (2023). Unlike the year prediction task above, which can potentially draw on encyclopedic knowledge that GPT-4 has memorized, this task requires reasoning directly about the information in the passage, as each passage has its own duration. Memorized information about a complete book could inform the prediction about all passages within it (e.g., through awareness of the general time scales present in a work, or the amount of dialogue within it), in addition to having exact knowledge of the passage itself.

As above, our core question asks: do we see a difference in performance between books that GPT-4 has memorized and those that it has not? To assess this, we again identify the top and bottom decile of books by their GPT-4 name cloze accuracy. We manually annotate the amount of time passing in a 250-word passage from that book using the criteria outlined by Underwood (2018), including the examples provided to GPT-4 in Underwood (2023), blinding annotators to the identity of the book and which experimental condition it belongs to. We then pass those same passages through GPT-4 using the prompt in figure 4, adapted from Underwood (2023). We calculate accuracy as the Spearman ρ between the predicted times and true times and calculate a 95% confidence interval over that measure using the bootstrap.

We find a large but not statistically significant difference between TOP₁₀ ($\rho = 0.50 \ [0.25-0.72]$) and BOT₁₀ ($\rho = 0.27 \ [-0.02-0.59]$), suggesting that GPT-4 may perform better on this task for books it has memorized, but not conclusive evidence that this is so. Expanding this same process to the top and bottom quintile sees no effect (TOP₂₀ ($\rho = 0.47 \ [0.29-0.63]$; BOT₂₀ ($\rho = 0.46 \ [0.25-0.64]$); if an effect exists, it is only among the most memorized books. This suggests caution; more research is required to assess these disparities.

8 Discussion

We carry out this work in anticipation of the appeal of ChatGPT and GPT-4 for both posing and answering questions in cultural analytics. We find that these models have memorized books, both in the public domain and in copyright, and the capacity for memorization is tied to a book's overall popularity on the web. This differential in memorization leads to differential in performance for downstream tasks, with better performance on popular books than on those not seen on the web. As we consider the use of these models for questions in cultural analytics, we see a number of issues worth considering.

The virtues of open models. This archaeology is required only because ChatGPT and GPT-4 are closed systems, and the underlying data on which they have been trained is unknown. While our work sheds light on the memorization behavior of these models, the true training data remains fundamentally unknowable outside of OpenAI. As others have pointed out with respect to these systems in particular, there are deep ethical and reproducibility concerns about the use of such closed models for scholarly research (Spirling, 2023). A preferred alternative is to embrace the development of open-source, transparent models, including LLaMA (Touvron et al., 2023), OPT (Zhang et al., 2022) and BLOOM (Scao et al., 2022). While open source models will not alleviate the disparities in performance we see by virtue of their openness (LLaMA is trained on books in the Pile, and all use information from the general web, which each allocate attention to popular works), but it addresses the issue of data contamination since the works in the training data will be known; works in any evaluation data would then be able to be queried for membership (Marone and Van Durme, 2023).

Popular texts are likely not good barometers of model performance. A core concern about closed models with unknown training data is *test contamination*: data in an evaluation benchmark (providing an assessment of measurement validity) may be present in the training data, leading an assessment to be overconfident in a model's abilities. Our work here has shown that OpenAI models know about books in proportion to their popularity on the web, and that their performance on downstream tasks is tied to that popularity. When benchmarking the performance of these models on a new

downstream task, it is risky to draw expectations of generalization from its performance on *Alice in Wonderland*, *Harry Potter*, *Pride and Prejudice*, and so on—it simply knows much more about these works than the long tail of literature (both in the public domain and in copyright).

Whose narratives? At the core of questions surrounding the data used to train large language models is one of representation: whose language, and whose lived experiences mediated through that language, is captured in their knowledge of the world? While previous work has investigated this in terms of what varieties of English pass GPTinspired content filters (Gururangan et al., 2022), we can ask the same question about the narrative experiences present in books: whose narratives inform the implicit knowledge of these models? Our work here has surfaced not only that ChatGPT and GPT-4 have memorized popular works, but also what kinds of narratives count as "popular"-in particular, works in the public domain published before 1928, along with contemporary science fiction and fantasy. Our work here does not investigate how this potential source of bias might become realized-e.g., how generated narratives are pushed to resemble text it has been trained on (Lucy and Bamman, 2021); how the values of the memorized texts are encoded to influence other behaviors, etc.--and so any discussion about it can only be speculative, but future work in this space can take the disparities we find in memorization as a starting point for this important work.

9 Conclusion

As research in cultural analytics is poised to be transformed by the affordances of large language models, we carry out this work to uncover the works of fiction that two popular models have memorized, in order to assess the risks of using closed models for research. In our finding that memorization affects performance on downstream tasks in disparate ways, closed data raises uncertainty about the conditions when a model will perform well and when it will fail; while our work tying memorization to popularity on the web offers a rough guide to assess the likelihood of memorization, it does not solve that fundamental challenge. Only open models with known training sources would do so. Code and data to support this work can be found at https://github.com/ bamman-group/gpt4-books.

Acknowledgments

The research reported in this article was supported by funding from the National Science Foundation (IIS-1942591) and the National Endowment for the Humanities (HAA-271654-20).

Limitations

The data behind ChatGPT and GPT-4 is fundamentally unknowable outside of OpenAI. At no point do we access, or attempt to access, the true training data behind these models, or any underlying components of the systems. Our work carries out probabilistic inference to measure the familiarity of these models with a set of books, but the question of whether they truly exist within the training data of these models is not answerable. Mere familiarity, however, is enough to contaminate test data.

Our study has some limitations that future work could address. First, we focus on a case study of English, but the analytical method we employ is transferable to other languages (given digitized books written in those languages). We leave it to future work to quantify the extent of memorization in non-English literary content by large language models.

Second, the name cloze task is one operationalization to assess memorization of large language models. As shown by previous research (e.g., Lee et al., 2022), memorization can be much more acute with longer textual spans during training copied verbatim. We leave quantifying the full extent of memorization and data contamination of opaque models such as ChatGPT and GPT-4 for future work.

References

- David Bamman, Michelle Carney, Jon Gillick, Cody Hennesy, and Vijitha Sridhar. 2017. Estimating the date of first publication in a large-scale digital library. In 2017 ACM/IEEE Joint Conference on Digital Libraries (JCDL), pages 1–10. IEEE.
- David M. Berry. 2011. The computational turn: Thinking about the digital humanities. *Culture Machine*, 12.
- Stella Biderman, Hailey Schoelkopf, Quentin Anthony, Herbie Bradley, Kyle O'Brien, Eric Hallahan, Mohammad Aflah Khan, Shivanshu Purohit, USVSN Sai Prashanth, Edward Raff, et al. 2023. Pythia: A suite for analyzing large language models across training and scaling. arXiv preprint arXiv:2304.01373.

- Terra Blevins and Luke Zettlemoyer. 2022. Language contamination helps explains the cross-lingual capabilities of English pretrained models. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 3563–3574, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Pierre Bourdieu. 1987. Distinction: A social critique of the judgement of taste. Harvard university press.
- Nicholas Carlini, Jamie Hayes, Milad Nasr, Matthew Jagielski, Vikash Sehwag, Florian Tramer, Borja Balle, Daphne Ippolito, and Eric Wallace. 2023. Extracting training data from diffusion models. *arXiv* preprint arXiv:2301.13188.
- Nicholas Carlini, Daphne Ippolito, Matthew Jagielski, Katherine Lee, Florian Tramer, and Chiyuan Zhang. 2022. Quantifying memorization across neural language models. *arXiv preprint arXiv:2202.07646*.
- Nicholas Carlini, Florian Tramer, Eric Wallace, Matthew Jagielski, Ariel Herbert-Voss, Katherine Lee, Adam Roberts, Tom B Brown, Dawn Song, Ulfar Erlingsson, et al. 2021. Extracting training data from large language models. In USENIX Security Symposium, volume 6.
- Mariona Coll Ardanuy, Federico Nanni, Kaspar Beelen, Kasra Hosseini, Ruth Ahnert, Jon Lawrence, Katherine McDonough, Giorgia Tolfo, Daniel CS Wilson, and Barbara McGillivray. 2020. Living machines: A study of atypical animacy. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 4534–4545, Barcelona, Spain (Online). International Committee on Computational Linguistics.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. BERT: Pre-training of deep bidirectional transformers for language understanding. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers), pages 4171–4186, Minneapolis, Minnesota. Association for Computational Linguistics.
- Jesse Dodge, Maarten Sap, Ana Marasović, William Agnew, Gabriel Ilharco, Dirk Groeneveld, Margaret Mitchell, and Matt Gardner. 2021. Documenting large webtext corpora: A case study on the colossal clean crawled corpus. In *Proceedings of the* 2021 Conference on Empirical Methods in Natural Language Processing, pages 1286–1305, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Rotem Dror, Gili Baumer, Segev Shlomov, and Roi Reichart. 2018. The hitchhiker's guide to testing statistical significance in natural language processing. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1383–1392, Melbourne, Australia. Association for Computational Linguistics.

- M Elam. 2023. Poetry Will Not Optimize, or What Is Literature to AI? American literature; a journal of literary history, criticism and bibliography.
- Aparna Elangovan, Jiayuan He, and Karin Verspoor. 2021. Memorization vs. generalization : Quantifying data leakage in NLP performance evaluation. In Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume, pages 1325–1335, Online. Association for Computational Linguistics.
- Yanai Elazar, Nora Kassner, Shauli Ravfogel, Amir Feder, Abhilasha Ravichander, Marius Mosbach, Yonatan Belinkov, Hinrich Schütze, and Yoav Goldberg. 2022. Measuring causal effects of data statistics on language model's 'factual' predictions. *arXiv preprint arXiv:2207.14251*.
- Katherine Elkins and Jon Chun. 2020. Can GPT-3 pass a writer's Turing test? *Journal of cultural analytics*, 5(2).
- Elizabeth F. Evans and Matthew Wilkens. 2018. Nation, ethnicity, and the geography of british fiction, 1880–1940. *Cultural Analytics*.
- Kathleen Fitzpatrick. 2012. The humanities, done digitally. *Debates in the digital humanities*, pages 12– 15.
- Leo Gao, Stella Biderman, Sid Black, Laurence Golding, Travis Hoppe, Charles Foster, Jason Phang, Horace He, Anish Thite, Noa Nabeshima, et al. 2020. The pile: An 800gb dataset of diverse text for language modeling. *arXiv preprint arXiv:2101.00027*.
- Timnit Gebru, Jamie Morgenstern, Briana Vecchione, Jennifer Wortman Vaughan, Hanna Wallach, Hal Daumé Iii, and Kate Crawford. 2021. Datasheets for datasets. *Communications of the ACM*, 64(12):86–92.
- Lauren M E Goodlad and Wai Chee Dimock. 2021. AI and the Human. *PMLA*, 136(2):317–319.
- John Guillory. 1993. *Cultural capital the problem of literary canon formation*. University of Chicago Press, Chicago.
- Suchin Gururangan, Dallas Card, Sarah K Drier, Emily K Gade, Leroy Z Wang, Zeyu Wang, Luke Zettlemoyer, and Noah A Smith. 2022. Whose language counts as high quality? measuring language ideologies in text data selection. *arXiv preprint arXiv:2201.10474*.
- Gary Gutting. 1989. Michel Foucault's Archaeology of Scientific Reason: Science and the History of Reason. Cambridge University Press.
- Sil Hamilton and Andrew Piper. 2022. The COVID that wasn't: Counterfactual journalism using GPT. In Proceedings of the 6th Joint SIGHUM Workshop on Computational Linguistics for Cultural Heritage, Social Sciences, Humanities and Literature, pages

83–93, Gyeongju, Republic of Korea. International Conference on Computational Linguistics.

- N. Katherine Hayles. 2012. How We Think: Transforming Power and Digital Technologies. In David M Berry, editor, *Understanding Digital Humanities*, pages 42–66. Palgrave Macmillan UK, London.
- Leah Henrickson and Albert Meroño-Peñuela. 2022. The Hermeneutics of Computer-Generated Texts. *Configurations*, 30(2):115–139.
- Felix Hill, Antoine Bordes, Sumit Chopra, and Jason Weston. 2015. The Goldilocks principle: Reading children's books with explicit memory representations. *ICLR*.
- Jie Huang, Hanyin Shao, and Kevin Chen-Chuan Chang. 2022. Are large pre-trained language models leaking your personal information? *arXiv preprint arXiv:2205.12628*.
- Daphne Ippolito, Florian Tramèr, Milad Nasr, Chiyuan Zhang, Matthew Jagielski, Katherine Lee, Christopher A Choquette-Choo, and Nicholas Carlini. 2022. Preventing verbatim memorization in language models gives a false sense of privacy. *arXiv preprint arXiv:2210.17546*.
- FM Jong, Henning Rode, and Djoerd Hiemstra. 2005. Temporal language models for the disclosure of historical text. *Proceedings of the XVIth International Conference of the Association for History and Computing (AHC 2005).*
- Nikhil Kandpal, Haikang Deng, Adam Roberts, Eric Wallace, and Colin Raffel. 2022a. Large language models struggle to learn long-tail knowledge. *arXiv preprint arXiv:2211.08411*.
- Nikhil Kandpal, Eric Wallace, and Colin Raffel. 2022b. Deduplicating training data mitigates privacy risks in language models. In *International Conference on Machine Learning*, pages 10697–10707. PMLR.
- Folgert Karsdorp and Lauren Fonteyn. 2019. Cultural entrenchment of folktales is encoded in language. *Palgrave Communications*, 5(1):25.
- Urvashi Khandelwal, Omer Levy, Dan Jurafsky, Luke Zettlemoyer, and Mike Lewis. 2020. Generalization through memorization: Nearest neighbor language models. In *International Conference on Learning Representations*.
- Abhimanu Kumar, Matthew Lease, and Jason Baldridge. 2011. Supervised language modeling for temporal resolution of texts. In *Proceedings of the* 20th ACM international conference on Information and knowledge management, pages 2069–2072.
- Katherine Lee, Daphne Ippolito, Andrew Nystrom, Chiyuan Zhang, Douglas Eck, Chris Callison-Burch, and Nicholas Carlini. 2022. Deduplicating training data makes language models better. In *Proceedings*

of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 8424–8445, Dublin, Ireland. Association for Computational Linguistics.

- Patrick Lewis, Pontus Stenetorp, and Sebastian Riedel. 2021. Question and answer test-train overlap in open-domain question answering datasets. In Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume, pages 1000–1008, Online. Association for Computational Linguistics.
- Li Lucy and David Bamman. 2021. Gender and representation bias in GPT-3 generated stories. In *Proceedings of the Third Workshop on Narrative Understanding*, pages 48–55, Virtual. Association for Computational Linguistics.
- Inbal Magar and Roy Schwartz. 2022. Data contamination: From memorization to exploitation. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 157–165, Dublin, Ireland. Association for Computational Linguistics.
- Marc Marone and Benjamin Van Durme. 2023. Data portraits: Recording foundation model training data.
- Fatemehsadat Mireshghallah, Archit Uniyal, Tianhao Wang, David Evans, and Taylor Berg-Kirkpatrick. 2022. An empirical analysis of memorization in fine-tuned autoregressive language models. In Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing, pages 1816– 1826, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Takeshi Onishi, Hai Wang, Mohit Bansal, Kevin Gimpel, and David McAllester. 2016. Who did what: A large-scale person-centered cloze dataset. In Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing, pages 2230– 2235, Austin, Texas. Association for Computational Linguistics.
- Andrew Piper, Richard Jean So, and David Bamman. 2021. Narrative theory for computational narrative understanding. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 298–311, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. 2020. Exploring the limits of transfer learning with a unified text-to-text transformer. *The Journal of Machine Learning Research*, 21(1):5485–5551.
- Stephen Ramsay and Geoffrey Rockwell. 2012. Developing things: Notes toward an epistemology of building in the digital humanities. *Debates in the digital humanities*, pages 75–84.

- Yasaman Razeghi, Robert L Logan IV, Matt Gardner, and Sameer Singh. 2022. Impact of pretraining term frequencies on few-shot numerical reasoning. In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 840–854, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Nicolas Ruth, Andreas Niekler, and Manuel Burghardt. 2022. Peeking Inside the DH Toolbox – Detection and Classification of Software Tools in DH Publications. *Proceedings of the Computational Humanities Research Conference 2022*, 1613:0073.
- Teven Le Scao, Angela Fan, Christopher Akiki, Ellie Pavlick, Suzana Ilić, Daniel Hesslow, Roman Castagné, Alexandra Sasha Luccioni, François Yvon, Matthias Gallé, et al. 2022. Bloom: A 176bparameter open-access multilingual language model. arXiv preprint arXiv:2211.05100.
- Henning Schmidgen, Bernhard Dotzler, and Benno Stein. 2023. From the archive to the computer: Michel Foucault and the digital humanities. *Journal of cultural analytics*, 7(4).
- Reza Shokri, Marco Stronati, Congzheng Song, and Vitaly Shmatikov. 2017. Membership inference attacks against machine learning models. In 2017 *IEEE symposium on security and privacy (SP)*, pages 3–18. IEEE.
- Arthur Spirling. 2023. Why open-source generative AI models are an ethical way forward for science. *Nature*, 616(7957):413–413.
- Dominik Stammbach, Maria Antoniak, and Elliott Ash.
 2022. Heroes, villains, and victims, and GPT3: Automated extraction of character roles without training data. In *Proceedings of the 4th Workshop of Narrative Understanding (WNU2022)*, pages 47–56, Seattle, United States. Association for Computational Linguistics.
- Swabha Swayamdipta, Roy Schwartz, Nicholas Lourie, Yizhong Wang, Hannaneh Hajishirzi, Noah A. Smith, and Yejin Choi. 2020. Dataset cartography: Mapping and diagnosing datasets with training dynamics. In Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP), pages 9275–9293, Online. Association for Computational Linguistics.
- Kushal Tirumala, Aram Markosyan, Luke Zettlemoyer, and Armen Aghajanyan. 2022. Memorization without overfitting: Analyzing the training dynamics of large language models. Advances in Neural Information Processing Systems, 35:38274–38290.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. 2023. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*.

- Ted Underwood. 2018. Why literary time is measured in minutes. *ELH*, 85(2).
- Ted Underwood. 2023. Using GPT-4 to measure the passage of time in fiction. https://tedunderwood.com/2023/03/19/using-gpt-4-to-measure-the-passage-of-time-in-fiction/.
- Melanie Walsh and Maria Antoniak. 2021. The goodreads "classics": A computational study of readers, amazon, and crowdsourced amateur criticism. *Journal of Cultural Analytics*, 6(2).
- Michael Yoder, Sopan Khosla, Qinlan Shen, Aakanksha Naik, Huiming Jin, Hariharan Muralidharan, and Carolyn Rosé. 2021. FanfictionNLP: A text processing pipeline for fanfiction. In *Proceedings of the Third Workshop on Narrative Understanding*, pages 13–23, Virtual. Association for Computational Linguistics.
- Chiyuan Zhang, Daphne Ippolito, Katherine Lee, Matthew Jagielski, Florian Tramèr, and Nicholas Carlini. 2021. Counterfactual memorization in neural language models. *arXiv preprint arXiv:2112.12938*.
- Susan Zhang, Stephen Roller, Naman Goyal, Mikel Artetxe, Moya Chen, Shuohui Chen, Christopher Dewan, Mona Diab, Xian Li, Xi Victoria Lin, et al. 2022. Opt: Open pre-trained transformer language models. *arXiv preprint arXiv:2205.01068*.
- Yukun Zhu, Ryan Kiros, Rich Zemel, Ruslan Salakhutdinov, Raquel Urtasun, Antonio Torralba, and Sanja Fidler. 2015. Aligning books and movies: Towards story-like visual explanations by watching movies and reading books. In *Proceedings of the IEEE international conference on computer vision*, pages 19– 27.
- Caleb Ziems, William Held, Omar Shaikh, Jiaao Chen, Zhehao Zhang, and Diyi Yang. 2023. Can large language models transform computational social science? *arXiv submission 4840038*.

Appendix

Author contributions

- Kent Chang: performed extrinsic analysis; annotated narrative time duration data; wrote paper.
- Mackenzie Cramer: performed human name cloze experiment; annotated narrative time duration data; researched self-publishing history of *Fifty Shades of Grey*.
- Sandeep Soni: performed the statistical analysis of predicted names; annotated narrative time duration data; wrote paper.

• David Bamman: conducted experiments, annotated narrative time duration data; wrote paper. What was the year in which the following passage was written? You must make a prediction of a year, even if you are uncertain.

Example:

Input: He felt his face. 'I miss sneering at something I love. How we used to love to gather in the checker-tiled kitchen in front of the old boxy cathode-ray Sony whose reception was sensitive to airplanes and sneer at the commercial vapidity of broadcast stuff.'

Output: <year>1996</year>

Input: The multiplicity of its appeals—the perpetual surprise of its contrasts and resemblances! All these tricks and turns of the show were upon him with a spring as he descended the Casino steps and paused on the pavement at its doors. He had not been abroad for seven years—and what changes the renewed contact produced! If the central depths were untouched, hardly a pin-point of surface remained the same. And this was the very place to bring out the completeness of the renewal. The sublimities, the perpetuities, might have left him as he was: but this tent pitched for a day's revelry spread a roof of oblivion between himself and his fixed sky.

Output: <year>1905</year>

Input: He did not speak to Jack or G.H., nor they to him. He lit a cigarette with shaking fingers and watched the spinning billiard balls roll and gleam and clack over the green stretch of doth, dropping into holes after bounding to and fro from the rubber cushions. He felt impelled to say something to ease the swelling in his chest. Hurriedly, he flicked his cigarette into a spittoon and, with twin eddies of blue smoke jutting from his black nostrils, shouted hoarsely, "Jack, I betcha two bits you can't make it!" Jack did not answer; the ball shot straight across the table and vanished into a side pocket. "You would've lost," Jack said. "Too late now," Bigger said. "You wouldn't bet, so you lost." He spoke without looking. His entire body hungered for keen sensation, something exciting and violent to relieve the tautness. It was now ten minutes to three and Gus had not come. If Gus stayed away much longer, it would be too late. And Gus knew that. If they were going to do anything, it certainly ought to be done before folks started coming into the streets to buy their food for supper, and while the cop was down at the other end of the block.

Output:

Figure 3: Sample prompt for year of first publication prediction.

GPT-4	ChatGPT	BERT	Date	Author	Title
0.76	0.43	0.00	1997	J.K. Rowling	Harry Potter and the Sorcerer's Stone
0.57	0.30	0.00	1949	George Orwell	1984
0.51	0.20	0.01	1954	J.R.R. Tolkien	The Fellowship of the Ring
0.49	0.16	0.13	2012	E.L. James	Fifty Shades of Grey
0.48	0.14	0.00	2008	Suzanne Collins	The Hunger Games
0.43	0.27	0.00	1954	William Golding	Lord of the Flies
0.43	0.17	0.00	1979	Douglas Adams	The Hitchhiker's Guide to the Galaxy
0.30	0.16	0.00	1959	Chinua Achebe	Things Fall Apart
0.28	0.12	0.00	1977	J. R. R. Tolkien and Christopher Tolkien	The Silmarillion
0.27	0.13	0.00	1953	Ray Bradbury	Fahrenheit 451
0.27	0.13	0.00	1996	George R.R. Martin	A Game of Thrones
0.26	0.05	0.01	2003	Dan Brown	The Da Vinci Code
0.26	0.08	0.00	1965	Frank Herbert	Dune
0.25	0.20	0.01	1937	Zora Neale Hurston	Their Eyes Were Watching God
0.25	0.14	0.00	1961	Harper Lee	To Kill a Mockingbird
0.24	0.03	0.03	1953	Ian Fleming	Casino Royale
0.22	0.13	0.00	1984	William Gibson	Neuromancer
0.20	0.10	0.00	1985	Orson Scott Card	Ender's Game
0.19	0.12	0.00	1932	Aldous Huxley	Brave New World
0.18	0.07	0.00	1937	Margaret Mitchell	Gone with the Wind
0.17	0.05	0.00	1968	Philip K. Dick	Do Androids Dream of Electric Sheep?
0.16	0.06	0.05	2009	Dan Brown	The Lost Symbol
0.15	0.04	0.04	2013	Dan Brown	Inferno
0.15	0.08	0.01	2014	Veronica Roth	Divergent
0.15	0.04	0.00	1940	John Steinbeck	The Grapes of Wrath
0.13	0.05	0.00	1983	James Kahn	Return of the Jedi
0.13	0.02	0.01	1928	D. H. Lawrence	Lady Chatterley's Lover
0.13	0.03	0.00	1977	Alex Haley	Roots
0.11	0.11	0.00	1961	Irving Stone	The Agony and the Ecstasy
0.11	0.01	0.03	1957	Ian Fleming	From Russia with Love
0.11	0.04	0.00	1962	Madeleine L'Engle	A Wrinkle in Time
0.11	0.04	0.01	1939	Marjorie Kinnan Rawlings	The Yearling
0.10	0.05	0.00	1975	E. L. Doctorow	Ragtime
0.10	0.05	0.00	1929	Dashiell Hammett	The Maltese Falcon
0.10	0.08	0.07	1991	Diana Gabaldon	Outlander
0.10	0.02	0.00	1989	Kazuo Ishiguro	The Remains of the Day
0.10	0.01	0.00	1983	Alice Walker	The Color Purple
0.09	0.02	0.00	1934	Dorothy L. Sayers	The Nine Tailors
0.09	0.03	0.00	1985	Margaret Atwood	The Handmaid's Tale
0.09	0.04	0.00	1988	Toni Morrison	Beloved
0.08	0.07	0.00	1982	Joe Nazel	Every Goodbye Ain't Gone
0.08	0.06	0.01	1984	Helen Hooven Santmyer	And Ladies of the Club
0.08	0.02	0.00	2006	Max Brooks	World War Z
0.08	0.02	0.00	1993	Irvine Welsh	Trainspotting
0.08	0.02	0.00	1947	Robert Penn Warren	All the King's Men
0.00	0.02	0.00	1952	Ralph Ellison	Invisible Man
0.07	0.01	0.00	1951	Isaac Asimov	Foundation
0.07	0.01	0.00	1976	Anne Rice	Interview with the Vampire
0.07	0.01	0.00	1977	Stephen King	The Shining
0.07	0.01	0.02	1996	Helen Fielding	Bridget Jones's Diary

Table 6: Top 50 books in copyright (published after 1928) by GPT-4 name cloze accuracy.

Read the following passage of fiction. Then do five things.

1: Briefly summarize the passage.

2: Reason step by step to decide how much time is described in the passage. If the passage doesn't include any explicit reference to time, you can guess how much time the events described would have taken. Even description can imply the passage of time by mentioning the earlier history of people or buildings. But characters' references to the past or future in spoken dialogue should not count as time that passed in the scene. Report the time using units of years, weeks, days, hours, or minutes. Do not say zero or N/A.

3: If you described a range of possible times in step 2 take the midpoint of the range. Then multiply to convert the units into minutes.

4: Report only the number of minutes elapsed, which should match the number in step 3. Do not reply N/A.

5: Given the amount of speculation required in step 2, describe your certainty about the estimate-either high, moderate, or low.

Input:

TWENTY-FIVE It was raining again the next morning, a slanting gray rain like a swung curtain of crystal beads. I got up feeling sluggish and tired and stood looking out of the windows, with a dark harsh taste of Sternwoods still in my mouth. I was as empty of life as a scarecrow's pockets. I went out to the kitchenette and drank two cups of black coffee. You can have a hangover from other things than alcohol. I had one from women. Women made me sick. I shaved and showered and dressed and got my raincoat out and went downstairs and looked out of the front door. Across the street, a hundred feet up, a gray Plymouth sedan was parked. It was the same one that had tried to trail me around the day before, the same one that I had asked Eddie Mars about. There might be a cop in it, if a cop had that much time on his hands and wanted to waste it following me around. Or it might be a smoothie in the detective business trying to get a noseful of somebody else's case in order to chisel a way into it. Or it might be the Bishop of Bermuda disapproving of my night life.

Output:

1: A detective wakes up 'the next morning,' looks out a window for an undefined time, drinks (and presumably needs to make) two cups of coffee, then shaves and showers and gets dressed before stepping out his front door and seeing a car.

2: Making coffee, showering, and getting dressed take at least an hour. There's some ambiguity about whether to count the implicit reference to yesterday (since this is 'the next morning') as time elapsed in the passage, but let's say no, since yesterday is not actually described. So, an hour to 90 minutes.

3: 1.25 hours have elapsed. Multiplying by 60 minutes an hour that's 75 minutes.

4: 75 minutes.

5: Low confidence, because of ambiguity about a reference to the previous day.

Input:

CHAPTER I "TOM!" No answer. "TOM!" No answer. "What's gone with that boy, I wonder? You TOM!" No answer. The old lady pulled her spectacles down and looked over them about the room; then she put them up and looked out under them. She seldom or never looked *through* them for so small a thing as a boy; they were her state pair, the pride of her heart, and were built for "style," not service–she could have seen through a pair of stove-lids just as well. She looked perplexed for a moment, and then said, not fiercely, but still loud enough for the furniture to hear: "Well, I lay if I get hold of you I'll–" She did not finish, for by this time she was bending down and punching under the bed with the broom, and so she needed breath to punctuate the punches with. She resurrected nothing but the cat. "I never did see the beat of that boy!" She went to the open door and stood in it and looked out among the tomato vines and "jimpson" weeds that constituted the garden. No Tom. So she lifted up her voice at an angle calculated for distance and shouted: "Y-o-u-u TOM!" There was a slight noise behind her and she turned just in time to seize a small boy by the slack of his roundabout and arrest his flight.

Output:

1: An old lady calls for a boy named Tom, checks for him under the bed, goes to the open door and calls for him — then finally catches him.

2: The lady's actions are described minutely and seem rapid; they probably took two to four minutes. The lady also alludes to Tom's past bad behavior, but references to the past in dialogue should not count as time passing in the scene.

3: Three minutes have elapsed.

4: 3 minutes.

5: High confidence.

Input: [text]

Output:

Figure 4: Sample prompt for narrative time prediction, from Underwood (2023).